

Loading & Seperator Solution(소재공급 및 배출장치)

Automatic Chain Belt System

Automatic Chain Belt System



01 스윙 타입 적재대
Swing Type Loading Table



www.wyMaxs.com

Automatic Robot System



COMMERCIALIZAZIONE ITALIANA

FioBER®

Via dei Tigli, 14
40011 Anzola dell'Emilia
Bologna - Italia
tel. +39 051 739170
fax +39 051 739743
e-mail: fiober@fiober.it

www.fiober.it

CIRCULAR SAW MACHINE SPECIFICATIONS



MODEL	WY-120S
Cutting Capacity (mm/inch)	Ø30 ~ 120 / □ 85
Cutting Length (mm/inch)	12 ~ 6000
Motor (Kw)	15Kw x 6P
Blade Size (mm/inch)	Ø380X2.6X2.25XØ50
Stroke (mm/inch)	0 ~ 800
Trim Cut Length (mm/inch)	10 ~ 99
Min. Remnant (mm/inch)	Min 35 + Cutting L
Power Requirement (Kw)	22
Weight of Machine (Ton)	5.5



WOORYOUNG INDUSTRY CO., LTD.

CIRCULAR SAW MACHINE SPECIFICATIONS



MODEL	WY-160S
Cutting Capacity (mm)	Ø80 (Option Min. 30) ~ 160 / □ 110
Cutting	15 ~ 6000
Motor (Kw)	15Kw x 6P
Blade Size (mm)	Ø470X2.7X2.25XØ50
Stroke (mm/inch)	0 ~ 600
Trim Cut	15 ~ 99
Min. Remnant (mm)	Min 50
Power Requirement (Kw)	26
Weight of Machine (Ton)	6.5



WOORYOUNG INDUSTRY CO., LTD.

